Café Lido Centre Post

Effortless Elegance, Ultimate Functionality
Meet the stylish and practical Café Lido Umbrella with a smooth "push-up" system—no crank or rope needed!
Designed for ease of use, durability, and modern appeal, it's lightweight yet sturdy, making it perfect for the beach, poolside, balconies, and terraces.







Features include:

- ☑ **Sleek Aluminium Frame – Available in anthracite, white, or anodised finishes**
- ☑ **Premium Stainless Steel & Nylon Components – Built to last**
- ☑ **Innovative Plastic Crown System – A fresh design with enhanced functionality**

A seamless blend of style and convenience!

Designed for ease of use, durability, and modern appeal, it's lightweight yet sturdy, making it perfect for the beach, poolside, balconies, and terraces.

▪ *Not for construction -* *or* *SHADEmakers for assistance* ▪

SHADEMAKERS
Company Reg No. 5094506 VAT No 839721596




www.shademakers.co.uk
sales@shademakers.co.uk

Workshop & Showroom
8 Polaris Centre, 41 Brownfields
Welwyn Garden City, Herts, AL7 1AN

(+44) 1707 708626
(+44) 1707 707300

CAFE LIDO

Café Lido Centre Post Technical Specifications

			KG	M³			
2,0 x 2,0	DARK C2020LDD STARWHITE C2020LDW TITANIUM C2020LDT		7	0,09	40	4	18x30
2,5 x 2,5	DARK C2525LDD STARWHITE C2525LDW		9	0,11	40	4	18x30
2,5	DARK C2500LDD STARWHITE C2500LDW TITANIUM C2500LDT		8	0,09	40	6	18x30

OPTIONAL			BASES		GROUND FIXING	
2,0 x 2,0	DARK C2020LDD STARWHITE C2020LDW TITANIUM C2020LDT	◆	BF6565D BF6565W BF6565D	BC35MA4 BC55MA4	BC151GRA4	BTC +BTT45	CP3030ZS +BTT45
2,5 x 2,5	DARK C2525LDD STARWHITE C2525LDW	◆	BF6565D BF6565W	BC55MA4	BC5151GRA4	BTC +BTT45	CP3030ZS +BTT45
2,5	DARK C2500LDD STARWHITE C2500LDW TITANIUM C2500LDT	◆	BF6565D BF6565W BF6565D	BC35MA4 BC55MA4	BC151GRA4	BTC +BTT45	CP3030ZS +BTT45


FEATURES

- *Wind cap*
- *Ribs with "easy change" system*
- *Easy push opening system*

- Aluminium Carbon
- Aluminium White
- Aluminium Titanium - Not available for 2.5x2.5

- Aluminium Carbon
- Aluminium White
- Aluminium Titanium - Not available for 2.5x2.5

MAST & ARM FINISHES



CARBON



TITANIUM



WHITE

COLOUR RANGE

ACRYLIC 350GR

Without Valance - standard colours

A1N

Without Valance - non-standard colours

T6N T7N

T8N T9N S1N

▪ *Not for construction - or SHADEmakers for assistance* ▪

SHADEMAKERS

Company Reg No. 5094506 VAT No 839721596

www.shademakers.co.uk
sales@shademakers.co.uk

Workshop & Showroom
8 Polaris Centre, 41 Brownfields
Welwyn Garden City, Herts, AL7 1AN

(+44) 1707 708626
(+44) 1707 707300

Café Lido Centre Post



Carbon mast and frame



White mast and frame

▪ *Not for construction -* *or* *SHADEmakers for assistance* ▪

Company Reg No. 5094506 VAT No 839721596

www.shademakers.co.uk

sales@shademakers.co.uk

Workshop & Showroom
8 Polaris Centre, 41 Brownfields
Welwyn Garden City, Herts, AL7 1AN

(+44) 1707 708626

(+44) 1707 707300

Fabric Specifications


SOLAR PROTECTION FACTOR
Harmful UV rays and limiting heat circulation

FACTOR OF SOLAR LIGHT PROTECTION % of light trasmission

UPF PROTECTION FACTOR
Harmful UV rays. (UPF) from 85% almost 100%

DATA SHEET

COMPOSITION	FINISHING	COLOR FASTNESS	TREATMENT	WATER COLUMN
350 gr/m2 100% acrylic	Resistant to mould and bacteria. Solid to light Air permeable Stain resistant	Grade 7/8 ensio 105-b04	Teflon resins water-oil repellent	Approximately 25cm




350 GR/M2 ACRYLIC	A1 ECRU	T2 TERRACOTTA	T3 BORDEAUX	T6 TAUPE GREY	T7 WHITE	T8 SILVER GREY	T9 ANTRACITE	S1 BLACK
	70/80%	> 90%	> 90%	> 90%	70/80%	> 90%	> 90%	> 90%
	20/30%	< 10%	< 10%	< 10%	20/30%	< 10%	< 10%	< 10%
UPF	85/89%	100%	100%	100%	85/89%	100%	100%	100%

The above mentioned data are indicative, although provided by scientific measurements performed in certified laboratories.

Pleating a canopy

1. Carefully pull out any material trapped within the frame. Gather two pleats opposite the canopy ties





2. Roll the two pleats together down to the frame


3. Bring around the next loose pleat, restricting the previously rolled pair





4. Repeat the process, left over right ensuring fabric is kept as smooth as possible. Repeat until all pleats are fully restrained

5. Tie the canopy together so it doesn't unfurl, using the sewn on canopy tie, or a seperate canopy strap.



▪ *Not for construction -* *or* *SHADEmakers for assistance* ▪

SHADEMAKERS

Company Reg No. 5094506 VAT No 839721596

www.shademakers.co.uk
sales@shademakers.co.uk

Workshop & Showroom
8 Polaris Centre, 41 Brownfields
Welwyn Garden City, Herts, AL7 1AN

(+44) 1707 708626
(+44) 1707 707300