



Osmo Natural Oil Woodstain

ShadeArt's natural timber masts bring classic English elegance to any outdoor setting. Handcrafted in Hertfordshire from solid hardwoods, each mast boasts its own unique character.

To enhance and protect the wood, we use Osmo's premium natural oil wood stains—trusted for over 140 years in diverse climates. This expert blend of natural oils and waxes deeply penetrates the timber, creating a water-repellent, algae-resistant finish.

Unlike traditional coatings, Osmo allows the wood to breathe and adapt to humidity while safeguarding it from the elements. The result? Rich, warm tones that highlight the wood's natural grain, making it the star of your outdoor space.

Maintaining your ShadeArt mast is simple. Regular cleaning with a damp cloth and Osmo Cleaner helps prevent dirt build-up, while occasional aftercare—designed for easy, at-home maintenance—keeps it looking pristine.

As an official UK stockist of Osmo, we offer a full range of care and maintenance kits on our accessories page. Explore our finishes and find all the details you need.



• Not for construction - ☎ or ✉ SHADEmakers for assistance •

www.shademakers.co.uk

sales@shademakers.co.uk



Company Reg No. 5094506 VAT No 839721596

Workshop & Showroom
8 Polaris Centre, 41 Brownfields
Welwyn Garden City, Herts, AL7 1AN



Benefits of Osmo Natural Oil Woodstain

- ✓ Made from natural ingredients.
- ✓ Easy application with a brush or roller.
- ✓ No sanding required for recoating.
- ✓ Water-repellent and weather-resistant.
- ✓ Keeps the natural wood grain visible.
- ✓ Helps prevent timber from swelling and shrinking.
- ✓ Breathable, microporous finish allows natural wood movement.
- ✓ Inhibits mildew, algae, and fungi growth.
- ✓ Resists cracking and peeling.
- ✓ Contains pigments that help block UV rays.

• All subject to SHADEmakers Terms and Conditions •

(+44) 1707 708626

(+44) 1707 707300

Preparing New Timber

- Ensure the timber is dry, with a moisture content below 20%, and free from frost.
- Clean the surface 2-3 times with a cloth and methylated spirits to remove oils and resins. This also opens the timber pores, improving product absorption.
- Once the timber looks dry, apply the first coat of Osmo Natural Oil Woodstain along the grain using a flat brush or microfibre roller.
- Do not thin the product—simply stir well before use.
- If applying with a rag, eight coats are needed to match the thickness of one brush or roller coat.



- Allow 6-12 hours of drying time in well-ventilated conditions at approximately 23°C.



Recoating Previously Treated Timber

- Apply a new coat when signs of wear appear.
- Clean the timber, remove any dirt, and let it dry.
- No sanding is needed before applying a fresh coat.
- If the timber was treated with an unknown microporous finish, remove it completely before applying Osmo to ensure proper penetration.



Company Reg No. 5094506 VAT No 839721596

• Not for construction - ☎ or ✉ SHADEmakers for assistance •

• All subject to SHADEmakers Terms and Conditions •

 www.shademakers.co.uk

 sales@shademakers.co.uk

Workshop & Showroom
8 Polaris Centre, 41 Brownfields
Welwyn Garden City, Herts, AL7 1AN

 (+44) 1707 708626

 (+44) 1707 707300



Osmo Natural Oil Woodstain



Proud Suppliers Of



SHADEmakers Maintenance Kit Tips

- Regularly wipe timber surfaces with a damp cloth.
- For a deeper clean, use Osmo Cleaner and a stiff brush.
- Occasionally, use Osmo Wood Reviver Power Gel to clean, refresh, and restore the timber's natural color. Protect surrounding materials (metal, stone, or porous surfaces) from potential staining.
- Avoid multipurpose cleaners and detergents, as they can damage the Osmo finish.
- Household cleaning products may discolor the wood surface.
- Always test new cleaning methods on a small, hidden area first.

Caution

- Keep out of reach of children.
- Avoid contact with eyes, skin, and clothing.
- May cause allergic reactions.
- Full safety data sheets are available for download.



• Not for construction - ☎ or ✉ SHADEmakers for assistance •

www.shademakers.co.uk

✉ sales@shademakers.co.uk



Company Reg No. 5094506 VAT No 839721596

Workshop & Showroom
8 Polaris Centre, 41 Brownfields
Welwyn Garden City, Herts, AL7 1AN

• All subject to SHADEmakers Terms and Conditions •

☎ (+44) 1707 708626

☎ (+44) 1707 707300