

PVC FABRICS

To achieve a modern and high-end look to your projects, specify ShadeArt PVC fabric for your parasol canopy. A full range of 40 colours, including the special satin finish colours designed to perfectly compliment current architectural trends. Canopies in PVC provide protection against sunlight and inclement weather conditions all year round. All colours give 50% or more UV protection (100% for the satin colours). Exceptional dimensional stability and long term mechanical strength make these materials ideal even in the most demanding environments. The smooth surface of the PVC shrugs off dirt and ensures easy upkeep of your parasol.





- Choice of 40 colours
- Proven longevity
- 'Stay-clean' surface





3 metallic colours



33 gloss colours



33 gloss colours



Marine 502V2-SA1125C

Colour considerations

For bright, sunny locations, many of our clients prefer dark colours which offer some respite from the sunshine and reduce glare. They also provide slightly higher levels of UV protection.

For use in more shaded locations we make a higher proportion of light coloured canopies. This is so the available light can shine through and generally brighten the area.


Sun and rain protection


ShadeArt PVC fabrics are effective sunscreens since they filter a high percentage of ultraviolet radiation. The level of protection varies from one fabric to another depending on its weight, thickness and colour. See next page for full information about solar protection that is obtainable from each of the fabric types and colour.

The smooth welded seams of a PVC canopy ensures that the parasol is also totally waterproof and will provide shelter from the rain as well as from the sun. A perfect parasol/ umbrella combination.

Reinforced PVC

The diagram below shows the composition of superior PVC fabrics used by ShadeArt. A woven polyester reinforcement, kept under tension throughout the manufacturing process, provides the dimensional stability that will prevent canopy deformation or sagging, in addition to making the fabric resistant to damage. The thickness of the PVC coating is greater on the upper surface to give longer life, and the 'stay-clean' smooth finish of the fabric helps to keep the canopy looking 'as new' and requiring minimum maintenance.





Branding

The super-smooth surface of ShadeArt PVC fabrics makes them ideal for receiving printed designs. Expect excellent adhesion with computer-cut vinyl graphics, and pin-sharp definition when using screen printing techniques.

Care and cleaning

Proper care and cleaning will prolong the life of your ShadeArt canopy. Periodically remove any deposits from the fabric using a soft brush. Spray the canopy with warm water, and apply a gentle (natural) soap if required. Rinse thoroughly and air-dry. Do not use detergents or solvents as these could damage the fabric.

Satin Finish		Solar Transmission	Solar Reflection	Solar Absorption
	Black 502V2-SA8450C Boulder 502V2-SA2171C Concrete 502V2-SA2167C White 502V2-SA8102C	0 2 1 11	16 51 27 80	84 47 72 9
Metallics		Solar Transmission	Solar Reflection	Solar Absorption
	Aluminium 502V2-SA2168C Autumn 502V2-SA2138C Velvet Red 502V2-SA2152C	1 2 7	46 34 38	53 64 55
High Gloss		Solar Transmission	Solar Reflection	Solar Absorption
	Burgundy 502V2-SA8284C Buttercup 502V2-SA2166C Camel 502V2-SA2141C Carrot 502V2-SA2172C Celadon 502V2-SA50675C Celestial Blue 502V2-SA506 Champagne 502V2-SA83410 Cocoa 502V2-SA50673C Dijon 502V2-SA50671C Hemp 502V2-SA50671C Hemp 502V2-SA5066C Lagoon 502V2-SA2160C Lemon 502V2-SA50674C Marine 502V2-SA1125C Midnight Blue 502V2-SA2160C Moss Green 502V2-SA21580 Olive 502V2-SA50668C Orange 502V2-SA50668C Orange 502V2-SA8204C Pepper 502V2-SA82012C Poppy 502V2-SA8255C Porcelain 502V2-SA50670C	11 1 4 1 5 10 6 6 6 7 1 16 1 18 1	18 58 49 49 59 25 72 25 18 42 47 35 59 17 28 36 21 47 38 37 22	81 27 45 37 33 73 17 74 81 54 52 60 31 77 66 62 78 37 61 45 77
	Raspberry 502V2-SA2150C Sandy Beige 502V2-SA2135C Spruce 502V2-SA2156C Steel Blue 502V2-SA50676C Teak 502V2-SA50669C Tennis Green 502V2-SA805C Terracotta 502V2-SA20185C Thistle Blue 502V2-SA5027C Vanilla 502V2-SA8861C Victoria Blue 502V2-SA5067 Walnut Stain 502V2-SA2137	1 8 0 0 6C 1 2 2 0C 0 4 77C 7	45 61 15 47 11 18 28 16 65 34 18	43 34 84 45 89 81 70 84 31 59

Solar transmission + reflection + absorption = 100% incident energy

Satin Finish Technical Properties

Weight 570g/m2 • 16.8oz/sq yd EN ISO 2286-2

Width 180 cm • 70.9"

Length 40m • 43.74yds

Tensile strength warp/weft 200/200 daN/5 cm EN ISO 1421

Tear strength warp/weft 20/20 daN DIN 53.363

Adhesion 7/7 daN/5 cm EN ISO 2411

Surface treatment PVDF varnish both sides

Flame retardancy rating M2/NFP 92-507 • M2/UNE 23727 • Method 1 and 2/NFPA701 • C5FMT19 •

CLASSA/ASTME84 • BS 7837 • B1/DIN 4102-1 • CLASSE2/UNI 9177 •

CAN/ULC-5109 • SchwerbrennbarQ1-Tr1/ONORMA3800-1 • 1530.2/AS/NZS

G1/GOST 302944-94 • B-s2,d0/EN 13501-1

Flame retardancy Euroclass B-s2,d0/ EN 13501-1

Management system quality ISO 9001

The above technical data represents average values subject to a \pm -5% tolerance.

The buyer of our products is fully responsible for their application and their transformation with regard to any possible third party. The buyer of our products is responsible for their implementation and installation according to the standards, workmanship and safely regulations in force in destination countries. For information on our contractual warranty, please refer to the relevant terms and conditions.

The values quoted above represent results of tests performed in compliance with common design practices and are provided for information only to enable customers to make the best use of our products. Our products are subject to changes based on technical advances and we reserve the right to modify their characteristics at any time. The buyer of our products is responsible for checking the validity of the above data.

Example ShadeArt PVC canopies



ShadeArt Storm S 4m square in Aniseed and Raspberry



ShadeArt Storm S 5m hexagonal in Celadon

Warranty

For 12 months after installation, your ShadeArt warranty covers the rot-proof properties and colour fastness of the PVC fabric on condition that it has been correctly maintained and only used in a normal environment and under normal conditions.

ShadeArt should either replace free of charge or, at its convenience, reimburse the invoice value of the section of fabric recognized as faulty, excluding any costs or any other compensation for any reason whatsoever.

The warranty does not protect against any damage due to abuse, neglect, vandalism, burns of any kind, fires and natural disasters. Consequently there is no cover for damage caused by:

- Faulty maintenance or the use of unsuitable products or instruments.
- Use of detergent, chemical product or solvent.
- Use of any scraper or other instrument that may harm the fabric surface.
- Normal wear and ageing of the fabric.
- Atmospheric or phytosanitary pollution.
- Soiling by animals.
- Accidents or negligence not attributable to ShadeArt or resulting from force majeure.
- Incorrect assembly or handling by the user.
- Impact damage such as from falling objects, vandalism, road accidents etc
- Burning or scorching from fire and other heat sources such as cigarettes
- Lightning or unusual climatic or environmental conditions.

The warranty excludes the cost of any mechanical device (hardware, mechanisms, structures, etc.) as well as any cost of manufacturing, assembly and installation.

The warranty takes effect from the date of installation of your ShadeArt product.



Copyright - All rights reserved. Any redistribution or reproduction of part or all of the contents in any form is prohibited other than the following:

- You may print or download to a local hard disk extracts for your personal and non-commercial use only.
- You may copy the content to individual third parties for their personal use, but only if you acknowledge the website and ShadeArt Limited UK as the source of the material.
- You may not, except with our express written permission, distribute or commercially exploit the content. Nor may you transmit it or store it in any other website or other form of electronic retrieval system.